



# RK

Everything in order and clearly visible for flexible and functional storage: this is the result of the design and construction of the **RK** series of polypropylene boxes and their dedicated shelving system.

Available in eleven different sizes to meet every need, the drawers are ideal for spare parts dealers on account of their resistance to oils and their internal divisibility.

## WALLS

1MICUBE



Made of top quality polypropylene, the RK boxes have walls strengthened with special ribbing to protect against shocks.

## LABELS



Fitted with label holders available in various sizes proportionate to the size of the boxes to which they are applied.



## HANDLES



A special handle can be supplied on request for easy lifting and transportation of the RK boxes.

## BOTTOMS

smooth bottom



## DIVIDERS



Made of transparent polystyrene, the dividers allow the inside of the boxes to be partitioned into several compartments.

Depth 300 mm

Width 120 - 160 mm H 100

|                                                                                         |   | ARTICLE                                                                                     | BOTTOM<br>WALLS<br>HANDLES | TRANSVERSE<br>DIVIDERS<br>APPLICABLE | LONGITUDINAL<br>DIVIDERS<br>APPLICABLE | GR. | PACKAGING      |                 | UNIT<br>PRICE € |
|-----------------------------------------------------------------------------------------|---|---------------------------------------------------------------------------------------------|----------------------------|--------------------------------------|----------------------------------------|-----|----------------|-----------------|-----------------|
|                                                                                         |   |                                                                                             | Closed                     |                                      |                                        |     | Qty. per pack. | Qty. per pallet |                 |
| <br>PP | A | RK 3012 5104                                                                                | ■                          | 4                                    | 1                                      | 340 | 32             | 512             |                 |
|                                                                                         |   | RK 3012 5207                                                                                | ■                          | 4                                    | 1                                      | 380 | 32             | 512             |                 |
|                                                                                         |   | ECOOGREEN  | ■                          | 4                                    | 1                                      | 374 | 32             | 512             |                 |
| <br>PP | B | RK 3016 5104                                                                                | ■                          | 4                                    | 1                                      | 370 | 24             | 384             |                 |
|                                                                                         |   | RK 3016 5207                                                                                | ■                          | 4                                    | 1                                      | 414 | 24             | 384             |                 |
|                                                                                         |   | ECOOGREEN  | ■                          | 4                                    | 1                                      | 387 | 24             | 384             |                 |

A



B



| A                          |                                                                                                                                                                                    |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Usable internal dimensions | 257 x 95 x 97 H mm                                                                                                                                                                 |
| Pieces per pack / pallet   |  32  512 |
| Package dimensions         | 970 x 310 x 385 H mm                                                                                                                                                               |
| Pallet dimensions          | 1300 x 1000 x 1700 H mm                                                                                                                                                            |

| B                          |                                                                                                                                                                                    |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Usable internal dimensions | 257 x 136 x 97 H mm                                                                                                                                                                |
| Pieces per pack / pallet   |  24  384 |
| Package dimensions         | 970 x 310 x 390 H mm                                                                                                                                                               |
| Pallet dimensions          | 1300 x 1000 x 1700 H mm                                                                                                                                                            |

DATASHEET

# Depth 300 mm

iMICUBE

Width 120 - 160 mm

| ARTICLE  | DESCRIPTION   | GR. | PACKAGING      |                 | UNIT PRICE € |
|----------|---------------|-----|----------------|-----------------|--------------|
|          |               |     | Qty. per pack. | Qty. per pallet |              |
| <b>D</b> | RK H120 5104  | 16  | 1              |                 |              |
|          | RK H120 5401  | 18  | 1              |                 |              |
|          | RK H120 5207  | 19  | 1              |                 |              |
|          | RK H160 5104  | 18  | 1              |                 |              |
|          | RK H160 5207  | 20  | 1              |                 |              |
|          | RK H160 5401  | 19  | 1              |                 |              |
| <b>E</b> | RK D120 5207  | 25  | 1              |                 |              |
|          | RK D120 6896  | 22  | 1              |                 |              |
|          | RK D160 5207  | 32  | 1              |                 |              |
|          | RK D160 6896  | 28  | 1              |                 |              |
| <b>F</b> | RK D300 0099  | 200 | 1              |                 |              |
| <b>G</b> | LB 08024 2401 |     | 1              |                 |              |
|          | LB 12124 1601 |     | 1              |                 |              |
| <b>H</b> | LB 08142 1201 |     | 1              |                 |              |
|          | LB 12144 0801 |     | 1              |                 |              |



ECOGREEN



ECOGREEN



**D**



**E**



**F**



**G**



**H**

## DATASHEET

### D

|                   |               |
|-------------------|---------------|
| Handle for RK3012 | 70 x 90 H mm  |
| Handle for RK3016 | 110 x 90 H mm |

### E

|                                           |               |
|-------------------------------------------|---------------|
| Galvanised transverse divider size RK3012 | 100 x 90 H mm |
| Galvanised transverse divider size RK3016 | 145 x 90 H mm |

### F

|                                 |               |
|---------------------------------|---------------|
| Galvanised longitudinal divider | 268 x 88 H mm |
|---------------------------------|---------------|

### G

|                                |             |
|--------------------------------|-------------|
| Sheet of 24 labels for RK D120 | 80 x 24 mm  |
| Sheet of 16 labels for RK D160 | 121 x 24 mm |

### H

|                               |             |
|-------------------------------|-------------|
| Sheet of 12 labels for RK3012 | 81 x 42 mm  |
| Sheet of 8 labels for RK3016  | 121 x 44 mm |

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 400 mm

Width 120 - 160 - 240 mm H 100

|                                                                                                                                                                                          | ARTICLE                                                                                    | BOTTOM<br>WALLS<br>HANDLES | TRANSVERSE<br>DIVIDERS<br>APPLICABLE | LONGITUDINAL<br>DIVIDERS<br>APPLICABLE | GR. | PACKAGING      |                 | UNIT<br>PRICE € |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|----------------------------|--------------------------------------|----------------------------------------|-----|----------------|-----------------|-----------------|
|                                                                                                                                                                                          |                                                                                            | Closed                     |                                      |                                        |     | Qty. per pack. | Qty. per pallet |                 |
| <br>PP<br><br><b>A</b> | RK 4012 5104                                                                               | ■                          | 6                                    | 1                                      | 438 | 32             | 384             |                 |
|                                                                                                                                                                                          | RK 4012 5207                                                                               | ■                          | 6                                    | 1                                      | 491 | 32             | 384             |                 |
|                                                                                                                                                                                          | ECOOREEN  | RK 4012 5401               | ■                                    | 6                                      | 1   | 458            | 32              | 384             |
| <br>PP<br><br><b>B</b> | RK 4016 5104                                                                               | ■                          | 6                                    | 1                                      | 448 | 24             | 288             |                 |
|                                                                                                                                                                                          | RK 4016 5207                                                                               | ■                          | 6                                    | 1                                      | 502 | 24             | 288             |                 |
|                                                                                                                                                                                          | ECOOREEN  | RK 4016 5401               | ■                                    | 1                                      | 468 | 24             | 288             |                 |
| <br>PP<br><br><b>C</b> | RK 4024 5104                                                                               | ■                          | 6                                    | 3                                      | 644 | 16             | 192             |                 |
|                                                                                                                                                                                          | RK 4024 5207                                                                               | ■                          | 6                                    | 3                                      | 721 | 16             | 192             |                 |
|                                                                                                                                                                                          | ECOOREEN  | RK 4024 5401               | ■                                    | 3                                      | 673 | 16             | 192             |                 |



| A                          |                                                                                                                                                                                    |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Usable internal dimensions | 357 x 95 x 97 H mm                                                                                                                                                                 |
| Pieces per pack / pallet   |  32  384 |
| Package dimensions         | 970 x 415 x 400 H mm                                                                                                                                                               |
| Pallet dimensions          | 1300 x 1000 x 1700 H mm                                                                                                                                                            |

| B                          |                                                                                                                                                                                    |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Usable internal dimensions | 357 x 136 x 97 H mm                                                                                                                                                                |
| Pieces per pack / pallet   |  24  288 |
| Package dimensions         | 970 x 415 x 400 H mm                                                                                                                                                               |
| Pallet dimensions          | 1300 x 1000 x 1700 H mm                                                                                                                                                            |

| C                          |                                                                                                                                                                                    |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Usable internal dimensions | 357 x 215 x 97 H mm                                                                                                                                                                |
| Pieces per pack / pallet   |  16  192 |
| Package dimensions         | 970 x 415 x 400 H mm                                                                                                                                                               |
| Pallet dimensions          | 1300 x 1000 x 1700 H mm                                                                                                                                                            |

DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

# Depth 400 mm

iMICUBE

Width 120 - 160 - 240 mm

| ARTICLE                | DESCRIPTION                              | GR. | PACKAGING      |                 | UNIT PRICE € |
|------------------------|------------------------------------------|-----|----------------|-----------------|--------------|
|                        |                                          |     | Qty. per pack. | Qty. per pallet |              |
| <b>D</b> RK H120 5104  | Handle facilitated grip for width 120 mm | 16  | 1              |                 |              |
| RK H120 5207           |                                          | 19  | 1              |                 |              |
| RK H120 5401           |                                          | 18  | 1              |                 | ECOGREEN     |
| RK H160 5104           | Handle facilitated grip for width 160 mm | 18  | 1              |                 |              |
| RK H160 5207           |                                          | 20  | 1              |                 |              |
| RK H160 5401           |                                          | 19  | 1              |                 | ECOGREEN     |
| RK H240 5104           | Handle facilitated grip for width 240 mm | 20  | 1              |                 |              |
| RK H240 5207           |                                          | 23  | 1              |                 |              |
| RK H240 5401           |                                          | 22  | 1              |                 | ECOGREEN     |
| RK D120 5207           | Divider for width 120 mm                 | 25  | 1              |                 |              |
| RK D120 6896           |                                          | 22  | 1              |                 |              |
| RK D160 5207           | Divider for width 160 mm                 | 32  | 1              |                 |              |
| RK D160 6896           |                                          | 28  | 1              |                 |              |
| RK D240 5207           | Divider for width 240 mm                 | 56  | 1              |                 |              |
| RK D240 6896           |                                          | 50  | 1              |                 |              |
| <b>F</b> RK D400 0099  | Galvanised longitudinal divider          | 280 | 1              |                 |              |
| <b>G</b> LB 08024 2401 | Divider label 120 mm                     |     | 1              |                 |              |
|                        | Divider label 160 - 240 mm               |     | 1              |                 |              |
| LB 08142 1201          | Front Label for W=120 mm                 |     | 1              |                 |              |
| <b>H</b> LB 12144 0801 | Front Label for W=160 mm                 |     | 1              |                 |              |
| LB 20043 0601          | Front Label for W=240 mm                 |     | 1              |                 |              |



## DATASHEET

| D                                          |               |
|--------------------------------------------|---------------|
| Handle for RK 4012                         | 70 x 90 H mm  |
| Handle for RK 4016                         | 110 x 90 H mm |
| Handle for RK 4024                         | 120 x 80 H mm |
| E                                          |               |
| Galvanised transverse divider size RK 4012 | 100 x 90 H mm |
| Galvanised transverse divider size RK 4016 | 145 x 90 H mm |
| Galvanised transverse divider size RK 4024 | 225 x 90 H mm |
| F                                          |               |
| Galvanised longitudinal divider            | 368 x 88 H mm |
| G                                          |               |
| Sheet of 24 labels for RK D120             | 80 x 24 mm    |
| Sheet of 16 labels for RK D160/RK D240     | 121 x 24 mm   |
| H                                          |               |
| Sheet of 12 labels for RK 4012             | 81 x 42 mm    |
| Sheet of 8 labels for RK 4016              | 121 x 44 mm   |
| Sheet of 6 labels for RK 4024              | 200 x 43 mm   |

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 500 mm

Width 120 - 160 - 240 mm H 100

|                                                                                                                                                                                   |                                                                                            | ARTICLE      | BOTTOM<br>WALLS<br>HANDLES | TRANSVERSE<br>DIVIDERS<br>APPLICABLE | LONGITUDINAL<br>DIVIDERS<br>APPLICABLE | GR. | PACKAGING      |                 | UNIT<br>PRICE € |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------|----------------------------|--------------------------------------|----------------------------------------|-----|----------------|-----------------|-----------------|
|                                                                                                                                                                                   |                                                                                            |              | Closed                     |                                      |                                        |     | Qty. per pack. | Qty. per pallet |                 |
| <br>PP<br><br>A |                                                                                            | RK 5012 5104 | ■                          | 8                                    | 1                                      | 528 | 32             | 256             |                 |
|                                                                                                                                                                                   |                                                                                            | RK 5012 5207 | ■                          | 8                                    | 1                                      | 591 | 32             | 256             |                 |
|                                                                                                                                                                                   | ECODREEN  | RK 5012 5401 | ■                          | 8                                    | 1                                      | 552 | 32             | 256             |                 |
| <br>PP<br><br>B |                                                                                            | RK 5016 5104 | ■                          | 8                                    | 1                                      | 540 | 24             | 192             |                 |
|                                                                                                                                                                                   |                                                                                            | RK 5016 5207 | ■                          | 8                                    | 1                                      | 605 | 24             | 192             |                 |
|                                                                                                                                                                                   | ECODREEN  | RK 5016 5401 | ■                          | 8                                    | 1                                      | 564 | 24             | 192             |                 |
| <br>PP<br><br>C |                                                                                            | RK 5024 5104 | ■                          | 8                                    | 3                                      | 766 | 16             | 128             |                 |
|                                                                                                                                                                                   |                                                                                            | RK 5024 5207 | ■                          | 8                                    | 3                                      | 858 | 16             | 128             |                 |
|                                                                                                                                                                                   | ECODREEN  | RK 5024 5401 | ■                          | 8                                    | 3                                      | 800 | 16             | 128             |                 |



| A                          |                                                                                                                                                                                    |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Usable internal dimensions | 457 x 95 x 97 H mm                                                                                                                                                                 |
| Pieces per pack / pallet   |  32  256 |
| Package dimensions         | 970 x 515 x 390 H mm                                                                                                                                                               |
| Pallet dimensions          | 1050 x 1000 x 1700 H mm                                                                                                                                                            |

| B                          |                                                                                                                                                                                    |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Usable internal dimensions | 457 x 136 x 97 H mm                                                                                                                                                                |
| Pieces per pack / pallet   |  24  192 |
| Package dimensions         | 970 x 515 x 390 H mm                                                                                                                                                               |
| Pallet dimensions          | 1050 x 1000 x 1700 H mm                                                                                                                                                            |

| C                          |                                                                                                                                                                                    |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Usable internal dimensions | 457 x 215 x 97 H mm                                                                                                                                                                |
| Pieces per pack / pallet   |  16  128 |
| Package dimensions         | 970 x 515 x 390 H mm                                                                                                                                                               |
| Pallet dimensions          | 1050 x 1000 x 1700 H mm                                                                                                                                                            |

DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

# Depth 500 mm

iMICUBE

Width 120 - 160 - 240 mm

| ARTICLE                | DESCRIPTION                              | GR. | PACKAGING      | UNIT PRICE €    |
|------------------------|------------------------------------------|-----|----------------|-----------------|
|                        |                                          |     | Qty. per pack. | Qty. per pallet |
| <b>D</b> RK H120 5104  | Handle facilitated grip for width 120 mm | 16  | 1              |                 |
| RK H120 5207           |                                          | 18  | 1              |                 |
| RK H120 5401           |                                          | 19  | 1              |                 |
| RK H160 5104           | Handle facilitated grip for width 160 mm | 16  | 1              |                 |
| RK H160 5207           |                                          | 18  | 1              |                 |
| RK H160 5401           |                                          | 19  | 1              |                 |
| RK H240 5104           | Handle facilitated grip for width 240 mm | 20  | 1              |                 |
| RK H240 5207           |                                          | 22  | 1              |                 |
| RK H240 5401           |                                          | 23  | 1              |                 |
| RK D120 5207           | Divider for width 120 mm                 | 25  | 1              |                 |
| RK D120 6896           |                                          | 22  | 1              |                 |
| RK D160 5207           | Divider for width 160 mm                 | 32  | 1              |                 |
| RK D160 6896           |                                          | 28  | 1              |                 |
| RK D240 5207           | Divider for width 240 mm                 | 56  | 1              |                 |
| RK D240 6896           |                                          | 50  | 1              |                 |
| <b>F</b> RK D500 0099  | Galvanised longitudinal divider          | 360 | 1              |                 |
| <b>G</b> LB 08024 2401 | Divider label 120 mm                     |     | 1              |                 |
| LB 12124 1601          | Divider label 160 - 240 mm               |     | 1              |                 |
| LB 08142 1201          | Front Label for W=120 mm                 |     | 1              |                 |
| <b>H</b> LB 12144 0801 | Front Label for W=160 mm                 |     | 1              |                 |
| LB 20043 0601          | Front Label for W=240 mm                 |     | 1              |                 |



ECOGREEN



ECOGREEN



ECOGREEN



D



E



F



G



H

## DATASHEET

### D

|                    |               |
|--------------------|---------------|
| Handle for RK 5012 | 70 x 90 H mm  |
| Handle for RK 5016 | 110 x 90 H mm |
| Handle for RK 5024 | 120 x 80 H mm |

### E

|                                            |               |
|--------------------------------------------|---------------|
| Galvanised transverse divider size RK 5012 | 100 x 90 H mm |
| Galvanised transverse divider size RK 5016 | 145 x 90 H mm |
| Galvanised transverse divider size RK 5024 | 225 x 90 H mm |

### F

|                                 |               |
|---------------------------------|---------------|
| Galvanised longitudinal divider | 468 x 88 H mm |
|---------------------------------|---------------|

### G

|                                        |             |
|----------------------------------------|-------------|
| Sheet of 24 labels for RK D120         | 80 x 24 mm  |
| Sheet of 16 labels for RK D160/RK D240 | 121 x 24 mm |

### H

|                                |             |
|--------------------------------|-------------|
| Sheet of 12 labels for RK 5012 | 81 x 42 mm  |
| Sheet of 8 labels for RK 5016  | 121 x 44 mm |
| Sheet of 6 labels for RK 5024  | 200 x 43 mm |

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 600 mm

Width 160 mm H 100

|   | ARTICLE      | BOTTOM WALLS HANDLES | TRANSVERSE DIVIDERS APPLICABLE | LONGITUDINAL DIVIDERS APPLICABLE | GR. | PACKAGING      |                 | UNIT PRICE € |
|---|--------------|----------------------|--------------------------------|----------------------------------|-----|----------------|-----------------|--------------|
|   |              | Closed               |                                |                                  |     | Qty. per pack. | Qty. per pallet |              |
| A | RK 6016 5104 | ■                    | 10                             | 1                                | 662 | 24             | 192             |              |
|   | RK 6016 5207 | ■                    | 10                             | 1                                | 741 | 24             | 192             |              |
|   | RK 6016 5401 | ■                    | 10                             | 1                                | 692 | 24             | 192             |              |



Depth 655 mm

Width 160 mm H 100

|   | ARTICLE      | BOTTOM WALLS HANDLES | TRANSVERSE DIVIDERS APPLICABLE | LONGITUDINAL DIVIDERS APPLICABLE | GR. | PACKAGING      |                 | UNIT PRICE € |
|---|--------------|----------------------|--------------------------------|----------------------------------|-----|----------------|-----------------|--------------|
|   |              | Closed               |                                |                                  |     | Qty. per pack. | Qty. per pallet |              |
| B | RK 6516 5207 | ■                    | 11                             | 1                                | 816 | 24             | 192             |              |



Depth 434 mm

Width 140 mm H 80

|   | ARTICLE      | BOTTOM WALLS HANDLES | TRANSVERSE DIVIDERS APPLICABLE | LONGITUDINAL DIVIDERS APPLICABLE | GR. | PACKAGING      |                 | UNIT PRICE € |
|---|--------------|----------------------|--------------------------------|----------------------------------|-----|----------------|-----------------|--------------|
|   |              | Closed               |                                |                                  |     | Qty. per pack. | Qty. per pallet |              |
| C | RK 4314 5104 | ■                    | 7                              | -                                | 324 | 30             | 540             |              |



A



B



C



A

|                            |                         |
|----------------------------|-------------------------|
| Usable internal dimensions | 560 x 136 x 97 H mm     |
| Pieces per pack / pallet   | 24  192                 |
| Package dimensions         | 970 x 620 x 390 H mm    |
| Pallet dimensions          | 1300 x 1000 x 1700 H mm |

B

|                            |                         |
|----------------------------|-------------------------|
| Usable internal dimensions | 613 x 136 x 97 H mm     |
| Pieces per pack / pallet   | 24  192                 |
| Package dimensions         | 980 x 670 x 390 H mm    |
| Pallet dimensions          | 1300 x 1000 x 1700 H mm |

C

|                            |                         |
|----------------------------|-------------------------|
| Usable internal dimensions | 403 x 121 x 76 H mm     |
| Pieces per pack / pallet   | 30  540                 |
| Package dimensions         | 450 x 410 x 460 H mm    |
| Pallet dimensions          | 1300 x 1000 x 1530 H mm |

DATASHEET

# Depth 600 mm

iMICUBE

Width 160 mm

| ARTICLE                                        | DESCRIPTION                              | GR. | PACKAGING      |                 | UNIT PRICE € |
|------------------------------------------------|------------------------------------------|-----|----------------|-----------------|--------------|
|                                                |                                          |     | Qty. per pack. | Qty. per pallet |              |
| D RK H160 5104<br>RK H160 5207<br>RK H160 5401 | Handle facilitated grip for width 160 mm | 16  | 1              |                 |              |
|                                                |                                          | 18  | 1              |                 |              |
|                                                |                                          | 19  | 1              |                 |              |
| RK D140 6896                                   | Divider for width 140 mm                 | 22  | 1              |                 |              |
| E RK D160 5207<br>RK D160 6896                 | Divider for width 160 mm                 | 32  | 1              |                 |              |
|                                                |                                          | 28  | 1              |                 |              |
| F RK D600 0099                                 | Galvanised longitudinal divider          | 420 | 1              |                 |              |
| LB 8024 2401                                   | Divider label 140 mm                     |     | 1              |                 |              |
| LB 12124 1601                                  | Divider label 160 mm                     |     | 1              |                 |              |
| H LB 12144 0801                                | Front Label for W=140/160mm              |     | 1              |                 |              |



ECOGREEN



D



E



F



G



H

## DATASHEET

### D

|                    |               |
|--------------------|---------------|
| Handle for RK 6016 | 120 x 90 H mm |
|--------------------|---------------|

### E

|                                            |               |
|--------------------------------------------|---------------|
| Galvanised transverse divider size RK 4314 | 137 x 75 H mm |
| Galvanised transverse divider size RK 6016 | 145 x 90 H mm |

### F

|                                            |               |
|--------------------------------------------|---------------|
| Galvanised transverse divider size RK 6016 | 568 x 88 H mm |
|--------------------------------------------|---------------|

### G

|                                |             |
|--------------------------------|-------------|
| Sheet of 24 labels for RK D140 | 80 x 24 mm  |
| Sheet of 16 labels for RK D160 | 121 x 24 mm |

### H

|                                         |             |
|-----------------------------------------|-------------|
| Sheet of 8 labels for RK 4314-6016-6516 | 121 x 44 mm |
|-----------------------------------------|-------------|

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

500 x 545 H - Depth 300 mm

A



B



C



D



| ARTICLE                                                                                          | RK 3012 | RK 3016 |  | GR. | PACKAGING      |                 | UNIT PRICE € |
|--------------------------------------------------------------------------------------------------|---------|---------|--|-----|----------------|-----------------|--------------|
|                                                                                                  |         |         |  |     | Qty. per pack. | Qty. per pallet |              |
| A RK BX30 0001                                                                                   |         |         |  |     | 1              |                 |              |
|  B RK BX31 5104 | 16      |         |  |     | 1              |                 |              |
|  C RK BX32 5104 |         | 12      |  |     | 1              |                 |              |
|  D RK BX33 5104 | 8       | 6       |  |     | 1              |                 |              |

Compositions complete with guides and rear stops

| A           |                   |
|-------------|-------------------|
| Box         | 1 x RK BX30 0001  |
| B           |                   |
| Box         | 1 x RK BX30 0001  |
| Drawers set | 16 x RK 3012 5104 |
| C           |                   |
| Box         | 1 x RK BX30 0001  |
| Drawers set | 12 x RK 3016 5104 |
| D           |                   |
| Box         | 1 x RK BX30 0001  |
| Drawers set | 8 x RK 3012 5104  |
|             | 6 x RK 3016 5104  |



DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 300 mm

iMICUBE

| ARTICLE        | DESCRIPTION                  | GR. | PACKAGING      |                 | UNIT PRICE € |
|----------------|------------------------------|-----|----------------|-----------------|--------------|
|                |                              |     | Qty. per pack. | Qty. per pallet |              |
| I RK F300 0001 | Plinth for RK-BOX depth 300  |     | 1              |                 |              |
| L RK RL30 0099 | Guide for RK-BOX depth 300   |     | 1              |                 |              |
| M RK S500 0099 | Galvanised front stop        |     | 1              |                 |              |
| N RK S120 1099 | Galvanised rear front 120 mm |     | 1              |                 |              |
|                | Galvanised rear front 160 mm |     | 1              |                 |              |



DATASHEET

|                            |                     |
|----------------------------|---------------------|
| I                          |                     |
| Plinth for BX30            | 485 x 275 x 90 H mm |
| L                          |                     |
| Galvanised guides for BX30 | 300 mm              |
| M                          |                     |
| Galvanised stop for RK-BOX | 485 mm              |
| N                          |                     |
| Galvanised rear stop       | 120 - 160 mm        |

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



# 500 x 545 H - Depth 400 mm

iMICUBE

|   | ARTICLE      | RK 4012 | RK 4016 | RK 4024 | GR. | PACKAGING      |                 | UNIT PRICE € |
|---|--------------|---------|---------|---------|-----|----------------|-----------------|--------------|
|   |              |         |         |         |     | Qty. per pack. | Qty. per pallet |              |
| A | RK BX40 0001 |         |         |         |     | 1              |                 |              |
| B | RK BX41 5104 | 16      |         |         |     | 1              |                 |              |
| C | RK BX42 5104 |         | 12      |         |     | 1              |                 |              |
| D | RK BX43 5104 | 8       | 6       |         |     | 1              |                 |              |



Compositions complete with guides and rear stops



A



B



C



D

## DATASHEET

| A           |                   |
|-------------|-------------------|
| Box         | 1 x RK BX40 0001  |
| B           |                   |
| Box         | 1 x RK BX40 0001  |
| Drawers set | 16 x RK 4012 5104 |
| C           |                   |
| Box         | 1 x RK BX40 0001  |
| Drawers set | 12 x RK 4016 5104 |
| D           |                   |
| Box         | 1 x RK BX40 0001  |
| Drawers set | 8 x RK 4012 5104  |
|             | 6 x RK 4016 5104  |

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

500 x 545 H - Depth 400 mm

E



F



G



H



|   | ARTICLE      | RK 4012 | RK 4016 | RK 4024 | GR. | PACKAGING      |                 | UNIT PRICE € |
|---|--------------|---------|---------|---------|-----|----------------|-----------------|--------------|
|   |              |         |         |         |     | Qty. per pack. | Qty. per pallet |              |
| E | RK BX44 5104 |         |         | 8       |     | 1              |                 |              |
| F | RK BX45 5104 | 8       |         | 4       |     | 1              |                 |              |
| G | RK BX46 5104 |         | 6       | 4       |     | 1              |                 |              |
| H | RK BX47 5104 | 4       | 6       | 2       |     | 1              |                 |              |

Compositions complete with guides and rear stops

| E           |                  |
|-------------|------------------|
| Box         | 1 x RK BX40 0001 |
| Drawers set | 8 x RK 4024 5104 |
| F           |                  |
| Box         | 1 x RK BX40 0001 |
| Drawers set | 8 x RK 4012 5104 |
|             | 4 x RK 4024 5104 |
| G           |                  |
| Box         | 1 x RK BX40 0001 |
| Drawers set | 6 x RK 4016 5104 |
|             | 4 x RK 4024 5104 |
| H           |                  |
| Box         | 1 x RK BX40 0001 |
| Drawers set | 4 x RK 4012 5104 |
|             | 6 x RK 4016 5104 |
|             | 2 x RK 4024 5104 |



DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 400 mm

iMICUBE

| ARTICLE        | DESCRIPTION                      | GR. | PACKAGING      |                 | UNIT PRICE € |
|----------------|----------------------------------|-----|----------------|-----------------|--------------|
|                |                                  |     | Qty. per pack. | Qty. per pallet |              |
| I RK F400 0001 | Plinth for RK-BOX depth 400      |     | 1              |                 |              |
| L RK RL40 0099 | Guide for RK-BOX depth 400       |     | 1              |                 |              |
| M RK S500 0099 | Galvanised stop for RK-BOX       |     | 1              |                 |              |
| N RK S120 0099 | Galvanised rear front 120 mm     |     | 1              |                 |              |
|                | Galvanised rear front 160/240 mm |     | 1              |                 |              |



DATASHEET

|                            |                     |
|----------------------------|---------------------|
| I                          |                     |
| Plinth for BX40            | 485 x 375 x 90 H mm |
| L                          |                     |
| Galvanised guides for BX40 | 400 mm              |
| M                          |                     |
| Galvanised stop for RK-BOX | 485 mm              |
| N                          |                     |
| Galvanised rear stop       | 120 - 160 mm        |

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



500 x 545 H - Depth 500 mm

iMICUBE

|   | ARTICLE      | RK 5012 | RK 5016 | RK 5024 | GR. | PACKAGING      |                 | UNIT PRICE € |
|---|--------------|---------|---------|---------|-----|----------------|-----------------|--------------|
|   |              |         |         |         |     | Qty. per pack. | Qty. per pallet |              |
| A | RK BX50 0001 |         |         |         |     | 1              |                 |              |
| B | RK BX51 5104 | 16      |         |         |     | 1              |                 |              |
| C | RK BX52 5104 |         | 12      |         |     | 1              |                 |              |
| D | RK BX53 5104 | 8       | 6       |         |     | 1              |                 |              |



Compositions complete with guides and rear stops



DATASHEET

| A           |                   |
|-------------|-------------------|
| Box         | 1 x RK BX50 0001  |
| B           |                   |
| Box         | 1 x RK BX50 0001  |
| Drawers set | 16 x RK 5012 5104 |
| C           |                   |
| Box         | 1 x RK BX50 0001  |
| Drawers set | 12 x RK 5016 5104 |
| D           |                   |
| Box         | 1 x RK BX50 0001  |
| Drawers set | 8 x RK 5012 5104  |
|             | 6 x RK 5016 5104  |

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

500 x 545 H - Depth 500 mm

E



F



G



H



|                                                                                      | ARTICLE        | RK 5012 | RK 5016 | RK 5024 | GR. | PACKAGING      |                 | UNIT PRICE € |
|--------------------------------------------------------------------------------------|----------------|---------|---------|---------|-----|----------------|-----------------|--------------|
|                                                                                      |                |         |         |         |     | Qty. per pack. | Qty. per pallet |              |
|  PP | E RK BX54 5104 |         |         | 8       |     | 1              |                 |              |
|  PP | F RK BX55 5104 | 8       |         | 4       |     | 1              |                 |              |
|  PP | G RK BX56 5104 |         | 6       | 4       |     | 1              |                 |              |
|  PP | H RK BX57 5104 | 4       | 6       | 2       |     | 1              |                 |              |

Compositions complete with guides and rear stops

| E           |                  |
|-------------|------------------|
| Box         | 1 x RK BX50 0001 |
| Drawers set | 8 x RK 5024 5104 |
| F           |                  |
| Box         | 1 x RK BX50 0001 |
| Drawers set | 8 x RK 5012 5104 |
|             | 4 x RK 5024 5104 |
| G           |                  |
| Box         | 1 x RK BX50 0001 |
| Drawers set | 6 x RK 5016 5104 |
|             | 4 x RK 5024 5104 |
| H           |                  |
| Box         | 1 x RK BX50 0001 |
| Drawers set | 4 x RK 5012 5104 |
|             | 6 x RK 5016 5104 |
|             | 2 x RK 5024 5104 |



DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 500 mm

iMICUBE

| ARTICLE        | DESCRIPTION                      | GR. | PACKAGING      |                 | UNIT PRICE € |
|----------------|----------------------------------|-----|----------------|-----------------|--------------|
|                |                                  |     | Qty. per pack. | Qty. per pallet |              |
| I RK F500 0001 | Plinth for RK-BOX depth 500      |     | 1              |                 |              |
| L RK RL50 0099 | Guide for RK-BOX depth 500       |     | 1              |                 |              |
| M RK S500 0099 | Galvanised stop for RK-BOX       |     | 1              |                 |              |
| N RK S120 0099 | Galvanised rear front 120 mm     |     | 1              |                 |              |
|                | Galvanised rear front 160/240 mm |     | 1              |                 |              |



DATASHEET

|                            |                    |
|----------------------------|--------------------|
| I                          |                    |
| Plinth for BX50            | 485 x475 x 90 H mm |
| L                          |                    |
| Galvanised guides for BX50 | 500 mm             |
| M                          |                    |
| Galvanised stop for RK-BOX | 485 mm             |
| N                          |                    |
| Galvanised rear stop       | 120 - 160 mm       |

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

500 x 545 H - Depth 600 mm

| ARTICLE        | RK 6016 |  |  | GR. | PACKAGING      |                 | UNIT PRICE € |
|----------------|---------|--|--|-----|----------------|-----------------|--------------|
|                |         |  |  |     | Qty. per pack. | Qty. per pallet |              |
| A RK BX60 0001 |         |  |  |     | 1              |                 |              |
| B RK BX61 5104 | 12      |  |  |     | 1              |                 |              |

Compositions complete with guides and rear stops



| A           |                   |
|-------------|-------------------|
| Box         | 1 x RK BX60 0001  |
| B           |                   |
| Box         | 1 x RK BX60 0001  |
| Drawers set | 12 x RK 6016 5104 |



DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 600 mm

iMICUBE

| ARTICLE        | DESCRIPTION                  | GR. | PACKAGING      |                 | UNIT PRICE € |
|----------------|------------------------------|-----|----------------|-----------------|--------------|
|                |                              |     | Qty. per pack. | Qty. per pallet |              |
| I RK F600 0001 | Plinth for RK-BOX depth 600  |     | 1              |                 |              |
| L RK RL60 0099 | Guide for RK-BOX depth 600   |     | 1              |                 |              |
| M RK S500 0099 | Galvanised stop for RK-BOX   |     | 1              |                 |              |
| N RK S120 0099 | Galvanised rear front 120 mm |     | 1              |                 |              |
|                | Galvanised rear front 160 mm |     | 1              |                 |              |



|                            |                     |
|----------------------------|---------------------|
| I                          |                     |
| Plinth for BX60            | 485 x 575 x 90 H mm |
| L                          |                     |
| Galvanised guides for BX60 | 600 mm              |
| M                          |                     |
| Galvanised stop for RK-BOX | 485 mm              |
| N                          |                     |
| Galvanised rear stop       | 120 - 160 mm        |

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.